





Prophy-Mate neo



PRESTO AQUA LUX



Contra-angles

Ti-Max Z

• Extremely small dimensions (e.g. Head size Ø 8,9 x H 13,4 mm) • Solid titanium body with scratch resistant DURAGRIP® coating • Cellular glass optics • 3 years warranty • Integrated micro-filter • Clean Head System • Ultra-push chuck



nano95LS

REF C1099

1.215€

SHORTER, PERFECTLY BALANCED

These instruments are approximately 10 percent smaller and lighter than conventional models.

Instruments from nano series are technically identical with Ti-Max Z instruments but significantly shorter, which can bring benefits with regard to ergonomics. PLEASE NOTE: Ti-Max nano series instruments are compatible with the current micromotor range of NSK (NLX nano, NLX plus, M40XS, NBX, X205L, M205LG) and other micromotors available in the market which have an ISO coupling no longer than 23 mm.

nano15LS

REF C1101

950€

nano65LS

REF H1048

914€*

nano25LS

REF C1100

829€

Ti-Max X LIGHTWEIGHT, SILENT AND DURABLE

• Solid titanium body with scratch resistant DURACOAT® coating • Cellular glass optics • 2 years warranty • Clean Head System



Contra-angles / Air Turbines

S-Max M

• Stainless steel body • Cellular glass optics • 2 years warranty • Clean Head System



• Stainless steel body • Cellular glass optics • 2 years warranty • Clean Head System • Quattro-spray



Optic turbine with standard head (\emptyset 12,1 × H 13,3 mm)

MODEL M900L **REF P1254** for NSK PTL

629

671€*

MODEL M900KL REF **P1258** for KaVo®MULTIflex®

LUX coupling

753€*

Optic turbine with mini head (Ø 10,6 × H 12,4 mm)

MODEL M800L **REF P1253**

for NSK PTL coupling



REF **P1257** for KaVo®MULTIflex® LUX coupling

MODEL M800KL

689€ 753€*

MODEL M900SL REF **P1262** for Sirona®

753€*

auick couplina

MODEL M800SL REF **P1261** for Sirona®

quick coupling



MODEL M900WL REF **P1266** for W&H® Roto Quick® coupling

753€*

MODEL M800WL REF **P1265** for W&H® Roto Quick® coupling

689 753€*

NOTE: Ti-Max Z and S-Max M series turbines are also available for Bien Air® couplings at the same promotion price.

Ti-Max Z micro

SMALL SIZE, BIG PERFORMANCE

• Titanium body

- DURAGRIP® coating
- Cellular glass optics
- Ceramic ball-bearings
- Clean Head System
- 4-port spray-cooling
- Small head (Ø 9,0 x H 10,8mm)
- Quick Stop
- Simple cartridge exchange
- For short shank burs with a
- max. length of 21mm





The Quick Stop Function halts high speed rotation in approximately 1 second, improving safety by immediately stopping the bur.

MODEL **Z micro** REF **PA2357** for NSK PTL coupling

869 925€* REF **PA2358** for KaVo® MULTIflex® LUX coupling

MODEL Z micro KL



MODEL **Z micro SL** REF **PA2359** for Sirona® quick coupling



Ti-Max Z

• Solid titanium body with DURAGRIP® coating • 26 W torque (Z900L) • Cellular glass optics • Very slim neck for perfect visibility • Ceramic ball-bearings • 2 years warranty • Clean Head System • Quattro-Spray



Optic turbine with standard head (\emptyset 12,5 × H 13,1 mm)

MODEL **Z900L** REF **P1111**

for NSK PTL

coupling

869 925€* MODEL **Z900KL** REF **P1113** for KaVo®MULTIflex®

LUX coupling

1042€*

MODEL **Z900SL** REF **P1115** for Sirona®

quick coupling

939€^{*}

MODEL **Z900WL** REF **P1121** for W&H® Roto Quick® coupling

939€^{*}

Optic turbine with mini head (Ø 10,8 × H 12,1 mm)

MODEL **Z800L** REF **P1110** for NSK PTL coupling MODEL **Z800KL** REF **P1112** for KaVo®MULTIflex® LUX coupling



MODEL **Z800SL** REF **P1114** for Sirona® quick coupling



MODEL **Z800WL** REF **P1120** for W&H® Roto Quick® coupling



NOTE: Ti-Max Z and S-Max M series turbines are also available for Bien Air® couplings at the same promotion price.

925€*

Varios Combi Pro

TWO ORAL CARE SYSTEMS IN ONE!

ULTRASONIC × POWDER JET

Varios Combi Pro Basic set contains:

- Control unit
- Ultrasonic scaler kit incl. LED handpiece
- Supragingival powder kit
- Multi-function foot control
- Tips G4, G8 and G16
- Other accessories



MODEL Varios Combi Pro REF Y1002843

Basic set

4.925€*

Varios Combi Pro GIGAPACK P4+C

Basic set VCP with ultrasonicand Powder Kit for supragingival use

Perio-Kit (subgingival use)

2nd ultrasonic LED scaler handpiece Varios2 LUX HP

iCart Prophy (cart for Varios Combi Pro) REF **\$9095**, 1.018€*



MODEL Varios2 LUX HP

REF E351050


Ultrasonic LED

810€*

scaler handpiece

)

Varios Combi Pro GIGAPACK P4+



2nd ultrasonic LED scaler handpiece Varios2 LUX HP

6.875€* 7.535€* SAVE 660€

> MODEL **Prophy-Kit** REF **Y1003771** Powder Kit for supragingival use

871€*

MODEL **Perio-Kit** REF **Y1003042** Powder Kit for subgingival use

929€*

5

Prophy-Mate neo

SUPRAGINGIVAL AIR POLISHER





REF **Y135029** for NSK coupling 939€* REF **Y135030** for KaVo[®] MULTIflex[®] LUX coupling 984€* REF **Y135031** for Sirona[®] quick coupling 984€*

- REF Y135032 for W&H® Roto Quick® coupling 984€*
- REF Y135033 for Bien-Air® Unifix® coupling 984€*

2.230€^{*}

2910€*

MEGAPACK P3

VALUEPACK P1 & P2 COMBINED

Perio-Mate 🔶 Prophy-Mate neo

Perio-Mate

BIOFILM ERASER

VALUE PACK P2

Perio-Mate

2nd Perio-Mate handpiece REF **T1043010**, 385€*

Perio Mate Powder, 2 x 160 g, Glycine based powder REF **Y900938**, 71€*





 REF Y1002654 for NSK coupling 1.099€*

 REF Y1002655 for KaVo® MULTIflex® LUX coupling 1.158€*

 REF Y1002656 for Sirona® quick coupling 1.158€*

 REF Y1002657 for W&H® Roto Quick® coupling 1.158€*

 REF Y1002658 for Bien-Air® Unifix® coupling 1.158€*

Varios 970 ULTRASONIC GENERATOR

• iPiezo engine for stable power output • Extremely slim & lightweight handpiece for all indications • Extensive tip range for prophylaxis, periodontics, endodontics and restorative treatments • LED integrated • 2 irrigation bottles + external water



Ti-Max S970 Airscaler

- Titanium airscaler handpiece with DURACOAT® coating
- 3-level Power Control Ring
- Stable torque and constant power
- Circular optic illumination
- Wide selection of tips for perio, endo and scaling as well as restoration
- Frequency of oscillation: 5.800-6.200 Hz
- Incl. 3 tips (S1, S2, S3)



Smooth and Easy 3-level Power Control Ring



Unrestricted visibility





Optic Air Scaler for NSK PTL coupling

1.042€^{*}

MODEL Ti-Max S970KL REF T1013

Optic Air Scaler for KaVo® MULTIflex® LUX coupling

1.153€^{*}

MODEL Ti-Max S970SL REF T1015

Optic Air Scaler for Sirona® quick coupling

1.153€^{*}

iProphy

WIRELESS POLISHING MICROMOTOR WITH ULTRA-SMALL HEAD

LIGHTWEIGHT, ERGONOMIC AND WITH A WIDE-RANGE OF SPEED SETTINGS

MODEL **iProphy Complete Kit** with iFX57 head REF **Y1500015**



As standard option, iProphy is available with iFX57 head for screw-in cups (as shown). As an option, iProphy can be used with Disposable Prophy Angles (DPA). In such a case, we recommend to choose iProphy without head (REF Y150069; 953 €*) and the PR-F adapter. Screw-in cups and DPA are not included in the standard packages.

Available as options:









POLISHING HANDPIECES FOR ORAL HYGIENE



MODEL X57 REF C619

- Non-optic titanium
- contra-angle
- 16:1 Reduction
- Ultra-small head for screw-in cups and brushes



In combination with the snap-on adaptor screw (REF C186020; 5 \in *) these handpieces are ready to be used in combination with snap-on cups.



MODEL FX57m REF C1054

- Non-optic stainless steel contra-angle
- 4:1 Reduction
- Ultra-small head for screw-in cups and brushes

278€[°]

In combination with the snap-on adaptor screw (REF C186020; 5 €*) these handpieces are ready to be used in combination with snap-on cups.

Surgic Pro2 SURGICAL MICROMOTOR SYSTEM

Surgic Pro2 complete kit contains:

- Control Unit
- SGL80M Optic or SG80M non-optic micromotor
- X-SG20L optic contra-angle
- (20:1 Reduction) or SG20 contra-angle
- Wireless foot-control
- Irrigation line (Pack of 3) and other accessories



MODEL Surgic Pro2 OPT

Complete Kit with LED

VALUE PACK S7-A

Surgic Pro2 OPT Complete Kit

Surgical handpiece X-SG65L w. l. (1:1)

REF Y1004195

4.728€*

Basic Kits

MODEL Surgic Pro2 NON-OPT REF **Y1004196** Complete Kit without LED

3.603€*

VALUE PACK S6-A

Surgic Pro2 NON-OPT Complete Kit

Surgical handpiece SGS-ES (1:1)

Surgic Pro2 🕂 Osseo 100+



save **194€**

5.644€*

5.450€^{*}





Surgic Pro

SURGICAL MICROMOTOR FOR IMPLANTOLOGY, ORAL & MAXILLOFACIAL SURGERY

• Powerful torque (up to 80 Ncm)

- Small & lightweight micro-motor
- LED illumination (32.000 LUX)
- Outstanding durability & reliability
- Micromotor autoclavable & thermo-disinfectable



Basic Kits

MODEL **Surgic Pro NON-OPT** REF **Y1003587** Complete Kit non-optic incl. contra-angle (non-dismountable) SG20 (20:1 Reduction)

3.274€*

MODEL **Surgic Pro OPT** REF **Y1003586** Complete Kit with LED incl.

Complete Kit with LED incl. optic contra-angle (non-dismountable) X-SG20L (20:1 Reduction)

4.366€*

MODEL **Surgic Pro+ OPT-D** REF **Y1003585** Complete Kit with LED and data-storage facility incl. dismountable optic contra-angle X-DSG20L (20:1 Reduction)

שא ההקינל א

4.694€*



VarioSurg3 POWERFUL ULTRASONIC SURGERY SYSTEM WITH LED



MODEL VarioSurg3 REF Y1002726 Complete Kit incl. Basic H-S Set and sterilization cassette

6.917€*

Included:



REF Y1002248

Complete Kit without

foot-control for SG-Link

MODEL VarioSurg3 Non FT

with Surgic Pro incl. Basic H-S Set and sterilization cassette

Tip: VarioSurg 3 Non FT can be paired with all Surgic Pro models. Pairing with Surgic Pro requires either the SG Link Set or iCart Duo in conjunction with the link cable. The link module is required for wireless connection to the Surgic Pro2 via Bluetooth. Please also note the offers on the following page.






RANGE OF APPLICATIONS: Bone surgery Scraper Extraction Sinus Lift Implant preparation Sinusmembran Detachment

Socket-Lift Tips Supragingival Scaling Root Planing Prosthesis maintenace

NSK offers a range of over 50 tips for different indications. More informations on our website: https://www.nsk-dental.com/products/surgical/



Surgic Pro2 🕂 VarioSurg3 BEST PROMO



One foot control: You can easily switch between Surgic Pro2 and VarioSurg 3 for improved flexibility and workflow.

Surgic Pro⁺ 🕂 VarioSurg3



2nd LED contra angle X-DSG20L (20:1)	2nd LED contra angle X-DSG20L (20:1)
Surgical handpiece with light X-SG65L (1:1)	Surgical handpiece with light X-SG65L (1:1)
VarioSurg3 Non FT Complete Kit	VarioSurg3 Non FT Complete Kit
2nd VS3-LED / ~~	2nd VS3-LED handpiece
ink Set (link cable included)	iCart Duo (special cart, link cable in
.650 €*	12.400€*

Osseo 100 / Osseo 100+

OSSEOINTEGRATION MONITORING DEVICE

Osseo 100 measures implant stability and osseointegration to enhance decisions about when to load the implant. Especially important when using protocols with shorter treatment time and treating higher risk patients. The uncomplicated operation that measures the Implant Stability Quotien (ISQ) with the help of a MulTipeg¹ (available for most implant types) allows the implant loading period to be planned in advance.

¹⁾ MulTipeg not included, sold separately.

Only 3 steps necessary. Learn more in the video.

Osseo 100+

Connected with Surgic Pro2 the ISQ-value will be transmitted automatically. The Bluetooth®-connection allows the measuring values to be saved in the Surgic Pro2 App.

MODEL **Osseo 100+** REF **Y1004176**

MODEL Osseo 100

REF Y1004175

2.244€^{*}

Wireless Bluetooth® connection with Surgic Pro2

```
2.577€<sup>*</sup>
```



MulTipeg[™]

36,50€*

Reusable MulTipeg™

- For all major implant systems ²⁾
- Tissue friendly, durable Titanium
- 20x autoclavable
- Optimal platform fit
- ISQ Standard calibrated



²⁾ There are different MulTipegs available especially designed for diverse implant systems and models.

Find a regularly updated overview on https://www.nsk-dental.com/products/ surgical/surgical-osseo100/

Contraction of the second seco

iSD900 CORDLESS PROSTHETIC SCREW DRIVER WITH TORQUE CALIBRATION SYSTEM

- Time-saving through automatic fastening of abutment screws
- Universally applicable for all major implant systems
- Torque-Calibration-System (TCS)
- Individually adjustable torque between 10 and 40 Ncm
- Selectable speeds (15, 20, 25/min)
- Ergonomic On/Off switch lever
- User-friendly LCD display
- Advanced battery & charging technology (induction)

MODEL **iSD900** REF **Y1001358** Prosthetic screw driver

1.550€* 1.732€* SAVE 182€ Whether in home care, in schools or on humanitarian missions, the mobile dental units from NSK are very easy to transport and can be taken anywhere. Only a electricity supply is required.

VIVA ace

THE PORTABLE DENTAL UNIT

MODEL VIVA ace REF Y1003773

10.683€^{*}





VIVA ace is equipped as follows:

- Brushless LED micromotor NLX plus with
- endo functions
- Multifunctional ultrasonic scaler
- Varios 170 with LED
- 3-F syringe without light
- Saliva ejector



Intuitive easy to read control panel.



Weight: only 8.5 kg !

Dentalone



MODEL Dentalone REF S9070

12.369€^{*}



What has been a neat little trolley an instant ago, now turned into a complete, fully equipped dental unit.

Dentalone is equipped as follows:

- Brushless NLX nano micromotor with LED
 Multifunctional ultrasonic scaler Varios 170 with LED
- 170 WITH LED
- 3-F syringe with LED Saliva ejector
- Saliva ejector
- Large backlit display
- Instrument carrier with auto-select function
- Foot Control

VIVA MATE G5 PORTABLE MICROMOTOR WITH LIGHT FOR MOBILE USE

Wherever this mobile micromotor/control unit combination is used, in mobile denstistry or in the dental lab: thanks to its strong batteries it can be used totally independent even without a plug for up to 2 hours. With a rotation spectrum of 3,000 to 30,000 rpm it can be used for all types of dental applications when used with the right handpiece or contra-angle (not included in the set). MODEL VIVA MATE G5 Set REF Y1002801



Contra-angles not included.

Dental Laboratory

PRESTO AQUA LUX

LUBE-FREE AIR-TURBINE WITH WATER COOLING AND LED

	0			
	ĭ			
-		·R	3	
9	_		In	-

MODEL PRESTO AQUA LUX REF Y1001151 Lab turbine with LED MODEL **PRESTO AQUA II** REF **Y150023** Lab turbine without light

2.050€*

SAVE 145€

1.590€*

SAVE 91€

ULTIMATE XL BRUSHLESS MICROMOTOR



Sets with torque handpiece (8,7 Ncm)

• Speed: 320.000 rpm

• No lubrication required

Integrated LED-light

Adjustable light-intensity

Cooling spray individually adjustable
Minimal noise and vibration

• 360° free-swivel LED handpiece • Unique dust-proof mechanism

1.726€^{*}

Sets with compact handpiece (6,0 Ncm)

1.446€*

- Speed range 1.000 50.000 rpm
- Lightweight, ergonomic handpiece
- Excellent, smooth running
- Patented dust protection mechanism
- Automatic speed control
- Auto-cruise function



VOLVERE i7

MICROMOTOR SYSTEM

- Compact design
- Automatic speed-control
- Foot (pedal) or manual speed control
- Silent, smooth running
 - Speed range 1,000 to 35,000 rpm
 - Torque 4,1 Ncm



MODEL VOLVERE i7 E REF Y1003523 ISO-E type micromotor, without handpiece

1.008€[′]



MODEL VOLVERE i7 VR-EB REF Y1002891 Typ ISO-E with handpiece

1.179€*



NSK Europe GmbH www.nsk-dental.com Elly-Beinhorn-Straße 8 - 65760 Eschborn - Germany Tel.: +49 (0)6196 77606-0 - Fax: +49 (0)6196 77606-29 - e-mail: info@nsk-europe.de

